Volume 44

1967

Journal of Scientific Instruments

190

Produced by The Institute of Physics and The Physical Society with the co-operation of the National Physical Laboratory

EDITOR: **A. C. STICKLAND,** M.Sc., Ph.D., F.Inst.P.
Editor and Deputy Secretary of The Institute of Physics and The Physical Society

The Institute of Physics and The Physical Society
London

THE INSTITUTE OF PHYSICS AND THE PHYSICAL SOCIETY

Officers and Members of the Council, 1967–68

President	Sir James Taylor, M.B.E., D.Sc., F.Inst.P.
Immediate Past President	Sir Gordon Sutherland, Sc.D., LL.D., F.Inst.P., F.R.S.
Vice-Presidents	J. V. Dunworth, C.B.E., M.A., Ph.D., F.Inst.P. Sir David Follett, M.A., Ph.D., F.Inst.P. A. D. I. Nicol, M.Sc., Ph.D., F.Inst.P. E. G. Stanford, M.Sc., Ph.D., F.Inst.P.
Honorary Secretary	P. T. Menzies, M.A., F.Inst.P.
Honorary Treasurer	R. Press, C.B.E., M.Sc., Ph.D., F.Inst.P.
Ordinary Members of Council	P. F. Chester, B.Sc., Ph.D. B. R. Coles, B.Sc., D.Phil. S. F. Edwards, M.A., Ph.D., F.Inst.P., F.R.S. C. A. Hogarth, B.Sc., Ph.D., F.Inst.P. J. L. Lewis, M.A., F.Inst.P. W. C. Marshall, B.Sc., Ph.D., F.Inst.P. J. W. Menter, M.A., Ph.D., Sc.D., F.Inst.P., F.R.S. J. Rotblat, C.B.E., M.A., D.Sc., F.Inst.P. L. A. A. Thomas, B.Sc., F.Inst.P.
Representing Branches	K. W. Hillier, B.Sc., Ph.D., F.Inst.P. P. T. Landsberg, D.Sc., F.Inst.P.

Permanent Officers

Secretary	L. Cohen, B.Sc., Ph.D., F.Inst.P.
Assistant Secretaries	P. L. Flowerday, B.Sc., A.Inst.P.
	C. I. Pedersen, F.I.L., M.I.P.R.
Administrative Officers	N. Walter, B.A. (Headquarters)
	Miss D. G. Mayston (Editorial Office)
Finance Officer	M. J. Blackwood, B.A., A.C.A.
Meetings Officer	L. L. Lawrence
Registrar	R. G. Roberts, B.A.
Assistant Editors	Miss H. Carcas, Miss M. A. Charney, B.Sc., S. Donohoe, B.A.

Journal of Scientific Instruments

Editorial Board

H. V. Beck, M.A., F.Inst.P. (*Chairman*)
Professor R. Barer, M.C., M.A., B.Sc., M.B., B.S.
T. P. Flanagan, M.Sc., A.Inst.P.
R. J. King, M.Sc., Ph.D., A.Inst.P.
Professor J. D. McGee, O.B.E., M.Sc., Ph.D., F.Inst.P., F.R.S.
D. A. Patient, B.Sc., F.Inst.P.
Professor J. Ring, B.Sc., Ph.D., F.Inst.P.
J. R. Stansfield, B.A., M.A., F.Inst.P.
J. McA. Steele, B.Sc.(Eng.)
S. Bradbury, D.Phil. (*Ex-officio*): Joint Editor of the *Journal of Royal Microscopical Society*
J. V. Dunworth, C.B.E., M.A., Ph.D., F.Inst.P. (*Ex-officio*): Chairman of Publications Committee

CONTENTS OF VOLUME 44

PAGE

JANUARY 1967

EDITORIAL 1

REVIEW ARTICLES

Flow visualization in water: a review of techniques . . . . . B. R. CLAYTON and B. S. MASSEY 2

PAPERS

A miniature turbine flowmeter for low flow rates . . . . . R. M. EDGE 12

Method of measuring the time constants of current meters and turbine-type flowmeters . . . . P. JEPSON 17

A soft x-ray spectrometer with photon counting using a resistance strip magnetic electron multiplier . . . J. K. R. CAMPBELL, L. M. WATSON and D. J. FABIAN 21

A ten-channel fibre optic Fabrye–Pérot fringe splitter . . . . . M. J. FORREST 26

An improved electrolytic hygrometer . . . . . P. GOLDSMITH and L. C. COX 29

Use of Bagnold's velocity meter in laboratory density current measurements . . . . . T. R. FIETZ 37

The carbon paper pressure indicator . S. D. HOWKINS 43

A simple 4 mm microwave receiver for plasma scattering experiments . . . . . E. S. HOTSTON 47

An apparatus for the measurement of galvanic skin response . . . . . P. WILLIAMS 50

Minimizing errors of four point probe measurements on circular wafers . . . . . R. HALL 53

A portable thermistor temperature integrator . . . . . G. S. WEAVING 55

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

The use of paper negatives in the production of photomicrographs . . . . . H. BUTLER 58

A precision micrometer capacitor . H. BAIRNSFATHER 59

Thickness measurements in the electron microscope . . . . . T. J. CARTER 61

A phase detector with improved selectivity. . . . . J. P. STUART and W. DERBYSHIRE 62

Preparation of thin foils of titanium and titanium alloys for transmission electron microscopy . . . . . R. W. GARDINER and P. G. PARTRIDGE 63

A method for measuring the infra-red reflectivity of microsamples . . . . . A. T. COLLINS 65

A simple specimen holder for the accurate comparison of lattice spacings by x-ray back reflection R. D. ARNELL 67

A cryopump for use in low temperature control . . . . C. C. LIM, R. A. AZIZ and D. J. SAWYER 68

An improved electron bombardment evaporation source for powdered materials. . . . . U. PICK 70

Simple pulse current transformer to check magnetron pulse current . . . . . M. M. BRADY 71

A liquid helium cooled trap for ultra-high vacuum systems . . . . . B. J. HOPKINS and K. R. PENDER 73

A simple electrometer tube holder . . . . . S. G. NORBERG, P. Å. ÖBERG and B. G. WALLIN 74

Device for athermal and isothermal electrical resistivity in the range −186 to 400°C . . . . . M. E. BROOKES and R. W. SMITH 75

The design of a versatile spectroflash unit with a triggered spark gap . . U. P. WILD and Hs. H. GÜNTHARD 76

A fixed thermocouple calibration facility . . . . . J. R. WILLIAMS and J. HENDERSON 78

Converting on–off controllers to proportional operation . . . . . A. J. JEWELL 81

PAGE

Low pressure measurement with thermistors C. J. BERRY 83

A pressurized Goldsmith–Cox hygrometer for plant use at ultra-low humidities . P. S. GRAY and I. GORDON 84

Investigation of the accuracy of the Goldsmith–Cox electrolytic hygrometer at the 10^{-6} atm level . . . . . P J. BOURKE and R. W. DAWSON 87

Book reviews 90

Information: Conferences, lectures and exhibitions . . . 92

SUPPLEMENT

A rational basis for the design of scales A. J. MADDOCK 93

FEBRUARY 1967

PAPERS

New vibrating sample magnetometers for use between 4 and 1000°K . K. M. CREER, A. DE SA and W. O'REILLY 133

A device for the measurement of sound propagation constants at low temperatures R. HOLMES and M. A. STOTT 136

A mass spectrometric dual collector for precise strontium isotope abundance ratio . . . . . A. HAYATSU and R. M. FARQUHAR 141

An optical incremental shaft resolver using plastic radial gratings . . . . . P. H. SYDENHAM 146

A high-speed capping shutter . . . T. B. TAYLOR 151

A semi-automatic monochromator for the determination of excitation cross sections . . . J. SCHUTTEN, P. J. VAN DEENEN, E. DE HAAS and F. J. DE HEER 153

Automatic liquid-nitrogen transfer system . . . . . G. ABOWITZ and P. G. CATH 156

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Precision polishing of thin single crystal layers . . . . . R. B. WILSON 159

Vacuum impregnation of porous specimens prior to microscope examination . . . . . D. E. GRANGER 160

Versatile cryostat for the study of point defects in quenched metals . . . . . D. SCHUMACHER 161

A device for the study of the effects of ultrasound on tissue growth in rabbits' ears . J. POND and MARY DYSON 165

An evaporation filament with automatic cut-off . . . . . R. G. SHERWOOD 166

A cryogenically pumped all-metal field ion microscope . C. A. SPEICHER, C. W. WOLFF and W. T. PIMBLEY 167

A modified halide-disk holder for infra-red spectrometry . . . . . H. V. R. VON RAHDEN 168

The continuous recording of damping at constant amplitude J. PEREZ, J. DELORME, P. PEGUIN and P. GOBIN 169

A simple method for preparing silver chloride sheets for bakeable vacuum-tight seals . C. F. VAN HUYSSTEEN 172

Simple glass flow switches . . . . N. A. LOWDE 173

A bakable quartz–metal sealed window . . . . . K. KLEIN and L. VERHEYDEN 174

The introduction of trace amounts of dopant gases into continuous flow crystal growing systems . . . . . D. M. EVANS and A. MOTTRAM 176

An improved goniometer head base for use on crystallographic apparatus . . . . . G. A. WOOSTER 178

Elastic constants of solidified gases and liquids by a strain gauge technique . B. L. SMITH and D. H. GARSIDE 179

A novel method for the measurement of crystal anisotropy in magnetic films. . . . . A. CHAMBERS, D. POMFRET and M. PRUTTON 181

PAGE

The reduction of noise and dark current in photomultiplier tubes by magnetic defocusing . . . . . L. FROMMHOLD and W. A. FEIBELMAN 182
A high temperature furnace for a single crystal x-ray diffractometer . F. F. FOIT, JR, and D. R. PEACOR 183

Information: Conferences, lectures and exhibitions . . . 186

MARCH 1967

PAPERS

Cross-sensitivity effects in non-dispersive infra-red gas analysers using condenser microphone detectors . . . . . D. .W. HILL and T. POWELL 189
A new method for the measurement of optical transfer functions . . . . . M. D. WATERWORTH 195
A magnetic device for detecting phase changes at elevated temperatures . . . . . A. GOLDBERG, W. U. DENT and J. H. MILLER 200
A locus-sensitive proportional counter . B. GRENNBERG 203
Tungsten shadow casting for electron microscopical specimens . . . H. E. HINTERMANN and J. BÉGUIN 207
Mass marker for the AEI mass spectrometer MS2H . . . . . F. M. TROMP and J. J. WIJNBERGEN 209

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A linear velocity drive for a Mössbauer spectrometer . . . . . K. CASSELL and A. H. JIGGINS 212
A simple laboratory gas-circulation pump . . . . . M. R. HILLIS 213
An improved reticule ruling for point-counter analysis . . . . . J. S. WHITE 215
Preparation of thin glass films for electron microscope examination by direct transmission . . . . . I. M. STEWART and L. GREEN 216
Measurement of the projected area of dust samples . . . . . G. B. RODGERS 217
A radiometer for continuous wave laser radiation . . . . . J. W. STEARN 218
f/1 low resolution monochromator . . . . . J. S. S. WHITING and J. M. WILLIAMS 220
A practical black-body cavity for the calibration of radiation pyrometers . . . . . T. J. QUINN 221
On the photography of field-ion microscope images . . . . . E. D. BOYES and C. D. ELVIN 223
Device for the automatic recording of quantitative pole figures . . . . . E. G. CHIRER 225
Measurements of gas velocity in a flame . C. S. RANN 227
Glass filaments for surface studies . . . . . W. BODE and P. C. FLETCHER 228
An acid saw for the strain-free cutting of single crystals . . . M. D. HUNT, J. A. SPITTLE and R. W. SMITH 230
Electron beam formation of 800 Å wide aluminium lines . . . . . T. H. P. CHANG and W. C. NIXON 231
Transmission electron microscope examination of cracks formed in massive bodies . . . . B. LEHTINEN 234
Electronic device for the spherical averaging of x-ray fibre diagrams . W. RULAND and A. DAWAELHEYNS 236
Electron microscope holders for viewing thin wire specimens and field ion microscope tips . . . . . H. NORDÉN and K. M. BOWKETT 238

LETTERS TO THE EDITOR

Validity and use of ratemeter correction procedures . . . K. K. WATSON and D. H. PILGRIM: C. H. VINCENT 241

SI units in perspective 243
Information: Conferences, lectures and exhibitions . . 245, 246
New publications 245

APRIL 1967

PAPERS

An anemometric isokinetic sampling probe for aerosols . . . . . R. G. BOOTHROYD 249
Readings of small pressure differences in liquids . . . . . M. BENEDINI 254
A design of furnace for very uniform temperatures . . . . . J. A. HALL 257
An accurate sputtered spot pattern monitor . . . . . G. E. CHAPMAN and J. C. KELLY 261
An optical magnetic probe . . . . . J. MCCARTAN and M. R. BARRAULT 265
An optical shaft resolver using coupled light-modulators . . . . . P. H. SYDENHAM 269
A metal immersion cryostat for optical studies of temperatures down to 2°K . . . . . E. W. WILLIAMS, D. V. PARHAM and J. KNOX 271
A water-cooled mercury arc for continuous wave laser pumping . . . . . T. B. READ 273
The weighting of samples with rough surfaces: cavity forces . . . . J. A. POULIS and C. H. MASSEN 275
Measurement of surface impedance anomalies at radio frequencies . . . . . S. W. HUI 279
Photoionization sources for mass spectrometers . . . . . J. H. BEYNON, A. E. FONTAINE, D. W. TURNER and A. E. WILLIAMS 283

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A simple Mössbauer spectrometer F. W. D. WOODHAMS 285
The determination of quartz in small samples by an x-ray technique . . . . . A. A. BRADLEY 287
Electron microscope specimen holder for simultaneous straining, tilting and rotating of thin foils . . . . B. LEHTINEN, E. BROBERG and L. DAHNE 289
A thermistor bridge for use in calorimetry . . . . G. H. NANCOLLAS and J. A. HARDY 290
A technique for the rapid measurement of thickness during the preparation of disk specimens for transmission electron microscopy. . . . . J. V. SHARP 292
A trace cutting attachment for a potentiometric chart recorder . . R. F. EDGAR and B. LAWRENSON 293
A stereoscopic display system for electron microprobe instruments . D. B. WITTRY and A. VANCOUVERING 294
A simple mercury cut-off for use in gas admission to evacuated systems . . . . . D. H. T. SPENCER 295
A pulse method of measuring the electrical resistance of semiconducting diamond . . S. M. HORSZOWSKI 296
A simple method of preparing thin metal foils for transmission electron microscopy . . . . . J. A. P. GIDLEY and R. A. DAVIES 297
Wide range nuvistor nuclear magnetic resonance probe . . . . N. G. HARLICK and D. R. HUTTON 299
A 100 kHz frequency shifter adjustable in steps of 1 in 10^{10} . . . . . J. WILBUR-HAM 300
A dual-purpose glass blowing torch . D. JOHNSTON 302
An improved Valdré-type tilting holder for a Siemens electron microscope. G. SINES and P. DELAVIGNETTE 303
A simple flood protection device for cooling systems . . . . . J. R. FORREST 305
Thin glass windows for use in fast electron irradiation vessels . . R. COOPER and H. A. KAMPHAUSEN 306
A simple maximum pressure differential gauge . . . . . N. R. WAY and M. BLOCK 307
An improved method for nondestructive shaping of tensile samples . . . . . J. C. BILELLO 308
An automatic tracer of characteristic curves for optically pumped lasers . . . . . J. G. EDWARDS 309
An electrically insulating cold trap . . S. K. HÄNDEL 312
Reactivation of a helium–neon laser by diffusion . . . . . K .G. LEIB and R. S. ENG 313

PAGE

The fabrication of cermet resistors using a rejection-mask technique . . . . . J. BEYNON and K. HEAD 313

LETTER TO THE EDITOR

Possibility of the detection of a conductor movement in a homogeneous magnetic field . . . M. NOVAKOVIĆ 316

Book reviews 317
Information: Conferences, lectures and exhibitions . . . 318
New publications 319
Miscellaneous 319

MAY 1967

REVIEW ARTICLES

Some recent work on the photography of transient events . . . . . K. R. COLEMAN 321

PAPERS

Some fundamental problems in the measurement of sticking probabilities of gases on metal films . . . . . D. O. HAYWARD and N. TAYLOR 327
The kinetic energy of fragment ions produced by electron impact . . . R. CLAMPITT and W. J. DUNNING 336
On-line computer system for processing high resolution mass spectral data H. C. BOWEN, T. CHENEVIX-TRENCH, . S. D. DRACKLEY, R. C. FAUST and R. A. SAUNDERS 343
A variable frequency transmission line nuclear magnetic resonance spectrometer with servo-correction of background . . . . . R. G. SCURLOCK, D. B. UTTON and T. H. WILMSHURST 349
A sensitive 8 mm electron spin resonance spectrometer using double sideband demodulation A. V. PATANKAR 354
A high luminosity spectrograph for recording the far ultraviolet spectra of aurora A. MONFILS and J.-M. VEREUX 357
A control system for a fully automatic pressure scanned Fabry–Pérot interferometer . . . . . P. H. HINDLE and N. K. REAY 360
A constant temperature hot-wire anemometer . . . . . J. C. WYNGAARD and J. L. LUMLEY 363
Instrumental modifications for compressive testing at temperatures up to 1800°C . . . R. T. PASCOE, K. C. RADFORD, R. D. RAWLINGS and C. W. A. NEWEY 366
A heat flux meter for use in boiler furnaces . . . . . E. W. NORTHOVER and J. A. HITCHCOCK 371
An apparatus for measuring the dynamic elastic properties of bitumens . . . . . G. R. DOBSON 375
Apparatus for simultaneous determination of longitudinal and shear wave velocities under pressure . . . . . J. VAN STEVENINCK 379
Density determinations on small liquid samples . . . . . A. L. CLARKE 382
Gas density measurement by the natural damping of a vibrating reed . . T. J. LEDWIDGE and G. HUGHES 385

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A double-acting all-glass gas circulating pump . . . . . S. DUNCAN and F. LAWSON 388
Self-aligning grip system and tensile specimens for Instron machines . . . . . J. R. HOLLAND 389
An improved circuit for nuclear magnetic resonance detection . . E. A. FAULKNER and A. HOLMAN 391
Gas-tight metal foil windows . . . D. C. ROBINSON 392
A new interferometric method for measuring the thickness of thick films . . . . . C. LOCKYER 393
On a new formula for the gas amplification in a proportional counter . . . . . A. ZASTAWNY 395
Axially ported high pressure intensifiers . . . . . W. J. SKELTON and W. R. D. WILSON 396

PAGE

A transistorized selective relay drive for standard time signals . D. J. ROSSOUW and A. J. VAN DER WALT 398
Differential thermal analysis of materials with very volatile components . . . . . A. D. RUSSELL 399
An accurate rotary table of simple construction, suitable for optical calibration purposes . . . . . J. CLARK and G. C. SUDBURY 400
An improved bridge for the measurement of permittivity and loss up to 5 GHz . . . . E. A. S. CAVELL 401
Some improved circuit techniques for electron spin resonance spectroscopy . . . T. H. WILMSHURST 403
Large rotary vacuum seals for manual operation . . . . . M. W. JONES and L. J. RIGBY 405
A high speed constant current switch for use with the National Physical Laboratory plasma–metal junction harmonic generator . . . . R. D. BRADSELL 406
Laser action in human breath and its use for monitoring the carbon dioxide content of air . . D. J. HUNT 408

Information: Conferences, lectures and exhibitions . . . 411

JUNE 1967

PAPERS

An instrument for the interocular matching of apparent brightness . . . . . J. E. SAUNDERS 413
Time constants of some fast photodetectors measured using an indium arsenide laser . . . . . M. A. C. S. BROWN, P. PORTEOUS and D. J. SOLLEY 419
Apparatus for flash photolysis and time resolved mass spectrometry. . . . . R. T. MEYER 422
Automatic voltage scanner for a peak switching mass spectrometer . E. J. GALLEGOS and R. F. KLAVER 427
The sensitivity of electron paramagnetic resonance spectrometers using parametric and maser preamplifiers . . . . H. A. BUCKMASTER and J. C. DERING 430
A 280 MHz electron spin resonance spectrometer . . . . . MARJORIE J. HILL and S. J. WYARD 433
A 900 MHz induction electron spin resonance spectrometer . . . . . W. DUNCAN 437
Use of brushless synchros for frequency modulation . . . . . J. HARRIS 440
Measurements of contact potential differences between conductive liquid phases by the capacitor method . . . . . P. FREYER and H.-D. OHLENBUSCH 443
A low temperature sample holder with two degrees of freedom and a new method of measuring anisotropic susceptibilities . . . . . H. H. VAN MAL 446
A microwave temperature-jump apparatus for the study of fast reactions in solution . . . . . E. F. CALDIN and J. E. CROOKS 449
High temperature centrifuge for phase equilibrium studies in molten salts . . . . . H. A. FRIEDMAN 454
Apparatus for measuring the shear strength of adhesive joints at high temperatures and methods for constructing the adhesive joints R. T. HUMPIDGE and B. J. TAYLOR 457
A trifilar-suspension rheogoniometer . . . . . N. ADAMS and R. JACKSON 461
Precise automatic long length determination . . . . . P. H. SYDENHAM 465

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

An absolute method for measuring the energy output of a laser . . . A. J. SCHMIDT and R. C. GREENHOW 468
Centrifugal pumping of liquefied gases . B. M. WRIGHT 469
A simple field tracking magnetometer for the range of 2000–4500 Oe . . . . . J. R. DER HAAS, D. VAN ORMONDT and C. SLOTTJE 471
An automatic Toepler pump using a photoelectric device . . . . . D. A. RICE and J. ROACH 473
The photofabrication of a ring focus baffle for a lens β spectrometer . . N. W. BENNÉE and D. K. BUTT 474

PAGE

On matching a nuclear resonance circuit to an amplifier with an application to pure quadrupole resonance . . . . D. T. EDMONDS and F. N. H. ROBINSON 475
An accurate synchronizing chronometer . . . . . T. ASHWORTH and J. F. MICHAEL 476
A modified skylight polarimeter . T. A. HARIHARAN 478
Phototransducer for measuring relatively small angles . . . . . H. J. SCHERR 479
An improved method of adjusting the heating conditions of integrating thermoluminescent dosimetry systems . . . . . G. A. M. WEBB 481
A photochemical reactor for quantitative studies . . . . . D. A. WARWICK and C. H. J. WELLS 483

LETTERS TO THE EDITOR

Gating problems in the dynamic electron image information store . . . J. D. MCGEE and R. W. SMITH

Abridged notes 846
Information: Conferences, lectures and exhibitions . . . 487

JULY 1967

PAPERS

The application of holography to the comparison of cylinder bores . . . . . E. ARCHBOLD, J. M. BURCH and A. E. ENNOS 489
A whole-body animal counter using a liquid scintillator . . . . . C. F. BARNABY and R. J. J. ORTON 495
Performance of a large-area whole-body counter . . . . . C. F. BARNABY and T. SMITH 499
The use of a moiré fringe measuring system and digital output in a soft X-ray spectrometer . . . . . L. M. WATSON, R. K. DIMOND and D. J. FABIAN 506
Helical resonators for spin resonance spectroscopy . . . . . J. C. COLLINGWOOD and J. W. WHITE 509
Square lattice resistance networks with diagonal elements . . . . . M. JEVONS 514
Effect of a.c. amplitude on the measurement of electron energy distribution functions . . . . . A. I. KILVINGTON, R. P. JONES and J. D. SWIFT 517
The examination of the electrical properties of insulators by surface charge measurement . . D. K. DAVIES 521
A rotating-wall, d.c.-arc plasma furnace . . D. WHYMAN 525
The multivibrator bridge for temperature measurement . . . . . F. J. MAHER 531
Microscope for use at temperatures near −190°C . . . . . W. C. CLOTHIER 535
An apparatus for measuring the dynamic stiffness of roads and soils . . . . . E. N. THROWER 537
A simple method for measuring heat flux . . . . . D. ANSON and A. M. GODRIDGE 541
Tensile test apparatus for small ring specimens . . . . W. R. HOLMAN, E. B. STILES and E. FUNG 545

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Comparison of rotating mirror and liquid bleacher as a Q switch for a ruby laser . . . . . K. HAMAL, V. SOCHOR, T. DAŘIČEK and A. NOVOTNY 548
A simple method of fabricating double-barrelled micropipette electrodes . . . . . M. MENDELSON 549
Preparation of thin metal foils from a small specimen for use in transmission electron microscopy . . . . . M. NAGUMO and M. ENDO 550
Measurement of the thermoelectric figure of merit using an oscilloscope . . J. SYMES and H. J. GOLDSMID 551

PAGE

A proton free-precession magnetometer for locating buried magnets . . . . . N. J. WADSWORTH 552
An apparatus for testing the resistance of road making materials to frost damage . . . . G. R. NELLIST 553
An inductively loaded probe for monitoring current pulses . . . . . M. H. DUNN and A. MAITLAND 555
Phase-locking method of measuring dielectric constant . . . B. N. BISWAS, G. DATTA and M. KUNDU 557
A technique for flow visualization using chemical indicator solutions . . . . P. J. STREET and C. S. TWAMLEY 558
The use of T.P.X. plastic as shock tube windows in the near ultra-violet . A. A. T. REES and G. ROBERTS 559
A simple over-voltage protection device for a low-frequency power amplifier . . . . . P. WRIGHT 560
A simple vacuum seal for non-circular tubes . . . . . W. J. FREDERICKS 561
The use of a radioactive beta source to monitor high airborne-dust concentrations . . . . A. J. WILLIAMS 562
An inexpensive high-impedance voltmeter for student use . . . . . W. BARRY 563
The use of pressure-bar to measure transient stresses in liquids . . . . E. P. REES and D. H. TREVENA 564
A polytetrafluoroethylene die for pressing high purity materials . . . . . C. A. MILLER 565
An efficient method of using an audio magnetic tape recorder for storing random pulses . . . . . J. R. KEMPLAY and P. VERNON 566
An apparatus for the determination of the apparent densities of lump solids at elevated temperatures . . . . . B. A. NAPIER and D. H. T. SPENCER 568
A new design for a Cockcroft–Walton voltage multiplier using silicon diffused-junction rectifiers . . . . . T. E. BROADBENT 570
A low inductance spark gap . . . . . D. G. FEARN and E. R. WOODING 571
Temperature control using commercially available d.c. amplifiers . . . . . C. A. MILLER 573

Information: Conferences, lectures and exhibitions . . . 575

AUGUST 1967

PAPERS

The design and construction of a microspectrophotometer . . . . J. C. BARNES and A. J. THOMSON 577
A luminescence spectrophotometer for powders excited by pulsed ionizing radiation . . . S. C. LILLICRAP 584
A small 180° fast scanning mass spectrometer . . . . . D. K. JEFFERIES 587
A new method of measuring amplitude modulation–phase modulation conversion in microwave amplifiers . . . . . J. E. CARROLL and C. A. TEARLE 593
The parallel operation of low-inductance high-current spark gaps without transit time isolation . . . . P. M. BARNES, J. E. GRUBER and T. E. JAMES 599
An instrument for size analysis of fine powders by X-ray absorption . . . . . S. G. CONLIN, W. J. LEVENE and W. F. VOLUME 606
An 'on-stream' X-ray particle-size sensor . . . . . K. G. CARR-BRION and P. J. MITCHELL 611
A simple particle size comparator . E. J. CHATFIELD 615
Stray field modulation effects in the rubidium magnetometer . . . . . W. F. STUART, S. CIARROCCA and M. J. USHER 618
A torque magnetometer for use at high pressures . . . . . R. R. BIRSS and B. C. HEGARTY 621
A new digital magnetic recording system . R. C. CAMP 625
A simple room temperature detector for use with carbon dioxide lasers . . . . . W. W. DULEY 629
Photomultiplier cooling apparatus . . . . . R. J. SMITH-SAVILLE and S. NESS 631